

FORMAT Tec HT Safe Rohr EM



FORMAT Tec HT Safe Rohr EM

DN/OD 32, 150mm

Technische Daten und Varianten

Ausführung	Art. Nr.
DN/OD 32, 150mm	FO26050010101
DN/OD 32, 250mm	FO26050010102
DN/OD 32, 500mm	FO26050010103
DN/OD 32, 1000mm	FO26050010105
DN/OD 32, 1500mm	FO26050010106
DN/OD 32, 2000mm	FO26050010107
DN/OD 32, 3000mm	FO26050010108
DN/OD 40, 150mm	FO26050020101
DN/OD 40, 250mm	FO26050020102
DN/OD 40, 500mm	FO26050020103
DN/OD 40, 750mm	FO26050020104
DN/OD 40, 1000mm	FO26050020105
DN/OD 40, 1500mm	FO26050020106
DN/OD 40, 2000mm	FO26050020107
DN/OD 40, 3000mm	FO26050020108
DN/OD 50, 150mm	FO26050020201
DN/OD 50, 250mm	FO26050020202
DN/OD 50, 500mm	FO26050020203

DN/OD 50, 750mm	FO26050020204
DN/OD 50, 1000mm	FO26050020205
DN/OD 50, 1500mm	FO26050020206
DN/OD 50, 2000mm	FO26050020207
DN/OD 50, 3000mm	FO26050020208
DN/OD 75, 150mm	FO26050020301
DN/OD 75, 250mm	FO26050020302
DN/OD 75, 500mm	FO26050020303
DN/OD 75, 750mm	FO26050020304
DN/OD 75, 1000mm	FO26050020305
DN/OD 75, 1500mm	FO26050020306
DN/OD 75, 2000mm	FO26050020307
DN/OD 75, 3000mm	FO26050020308
DN/OD 90, 150mm	FO26050020401
DN/OD 90, 250mm	FO26050020402
DN/OD 90, 500mm	FO26050020403
DN/OD 90, 750mm	FO26050020404
DN/OD 90, 1000mm	FO26050020405
DN/OD 90, 1500mm	FO26050020406
DN/OD 90, 2000mm	FO26050020407
DN/OD 90, 3000mm	FO26050020408
DN/OD 110, 150mm	FO26050020501
DN/OD 110, 250mm	FO26050020502
DN/OD 110, 500mm	FO26050020503
DN/OD 110, 750mm	FO26050020504
DN/OD 110, 1000mm	FO26050020505
DN/OD 110, 1500mm	FO26050020506
DN/OD 110, 2000mm	FO26050020507
DN/OD 110, 3000mm	FO26050020508
DN/OD 125, 150mm	FO26050020601
DN/OD 125, 250mm	FO26050020602
DN/OD 125, 500mm	FO26050020603
DN/OD 125, 750mm	FO26050020604
DN/OD 125, 1000mm	FO26050020605
DN/OD 125, 1500mm	FO26050020606
DN/OD 125, 2000mm	FO26050020607
DN/OD 125, 3000mm	FO26050020608
DN/OD 160, 150mm	FO26050020701
DN/OD 160, 250mm	FO26050020702
DN/OD 160, 500mm	FO26050020703
DN/OD 160, 750mm	FO26050020704
DN/OD 160, 1000mm	FO26050020705
DN/OD 160, 1500mm	FO26050020706
DN/OD 160, 2000mm	FO26050020707
DN/OD 160, 3000mm	FO26050020708
